

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **GP2 (Glycoprotein 2) / ZAP75 (GP2/2569R), CF405S conjugate, 0.1mg/mL, Clone: [GP2/2569R], Rabbit, Monoclonal BOT-BNC042569-100**

Article Name	GP2 (Glycoprotein 2) / ZAP75 (GP2/2569R), CF405S conjugate, 0.1mg/mL, Clone: [GP2/2569R], Rabbit, Monoclonal
Biozol Catalog Number	BOT-BNC042569-100
Supplier Catalog Number	BNC042569-100
Alternative Catalog Number	BOT-BNC042569-100-100UL
Manufacturer	Biotium
Host	Rabbit
Category	Antikörper
Application	IHC, WB
Species Reactivity	Human
Immunogen	Recombinant human GP2 protein fragment (around aa35-179) (exact sequence is proprietary)
Conjugation	CF405S
Product Description	GP2 (glycoprotein 2), also known as ZAP75, is a 537 amino acid secreted protein. It is an integral membrane protein that is secreted from intracellular zymogen granules and associates with the plasma membrane via glycosylphosphatidylinositol (GPI) li...
Clonality	Monoclonal
Concentration	0.1 mg/mL
Clone Designation	[GP2/2569R]

Molecular Weight	59 kDa
UniProt	<a href="#">P55259</a>
Buffer	PBS, 0.1% BSA, 0.05% azide
Source	Animal
Application Notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Does not react with mouse ELISA: 2-4 ug/m for coating order Ab without BSA Immunohistology (formalin): 1-2 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user