

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

MUC2 (Mucin 2) (MLP/2970R), CF405S conjugate, 0.1mg/mL, Clone: [MLP/2970R], Rabbit, Monoclonal BOT-BNC042970-500

Article Name	MUC2 (Mucin 2) (MLP/2970R), CF405S conjugate, 0.1mg/mL, Clone: [MLP/2970R], Rabbit, Monoclonal
Biozol Catalog Number	BOT-BNC042970-500
Supplier Catalog Number	BNC042970-500
Alternative Catalog Number	BOT-BNC042970-500-500UL
Manufacturer	Biotium
Host	Rabbit
Category	Antikörper
Application	IHC
Species Reactivity	Human
Immunogen	Recombinant full-length human MUC2 protein
Conjugation	CF405S
Product Description	This antibody recognizes a single glycoprotein of 520 kDa, identified as mucin 2 (MUC2). This MAb shows no cross-reaction with human milk fat globule membranes, MUC1, or MUC3. Its epitope has been defined as GTQTP (GlyThrGlnThrPro). Mucins are high m...
Clonality	Monoclonal
Concentration	0.1 mg/mL
Clone Designation	[MLP/2970R]

Molecular Weight	520 kDa
UniProt	Q02817
Buffer	PBS, 0.1% BSA, 0.05% azide
Source	Animal
Application Notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 0.5-1 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris-HCl buffer pH 10.0 for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user