

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

GnRH-Receptor / LH-RH Receptor(GNRHR/2982R), CF405S conjugate, 0.1mg/mL, Clone: [GNRHR/2982R], Rabbit, Monoclonal BOT-BNC042982-500

| | |
|----------------------------|---|
| Article Name | GnRH-Receptor / LH-RH Receptor(GNRHR/2982R), CF405S conjugate, 0.1mg/mL, Clone: [GNRHR/2982R], Rabbit, Monoclonal |
| Biozol Catalog Number | BOT-BNC042982-500 |
| Supplier Catalog Number | BNC042982-500 |
| Alternative Catalog Number | BOT-BNC042982-500-500UL |
| Manufacturer | Biotium |
| Host | Rabbit |
| Category | Antikörper |
| Species Reactivity | Human |
| Immunogen | Recombinant full-length human GNRHR protein |
| Conjugation | CF405S |
| Product Description | Recognizes an epitope on the extracellular domain of gonadotropin releasing hormone (GnRH) receptor or luteinizing hormone receptor (LHCGR). Lutropin (also designated luteinizing hormone) plays a role in spermatogenesis and ovulation by stimulating t... |
| Clonality | Monoclonal |
| Concentration | 0.1 mg/mL |
| Clone Designation | [GNRHR/2982R] |
| Molecular Weight | 54-60 kDa |

| | |
|-------------------|--|
| UniProt | P30968 |
| Buffer | PBS, 0.1% BSA, 0.05% azide |
| Source | Animal |
| Application Notes | For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry |