

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **Estrogen Receptor beta 1(ESR2/686), CF647 conjugate, 0.1mg/mL, IgG2a, Clone: [ESR2/686], Mouse, Monoclonal BOT-BNC470686-500**

Article Name	Estrogen Receptor beta 1(ESR2/686), CF647 conjugate, 0.1mg/mL, IgG2a, Clone: [ESR2/686], Mouse, Monoclonal
Biozol Catalog Number	BOT-BNC470686-500
Supplier Catalog Number	BNC470686-500
Alternative Catalog Number	BOT-BNC470686-500-500UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Application	FC, IHC
Species Reactivity	Human
Immunogen	C-terminus fragment of recombinant human estrogen receptor beta protein
Conjugation	CF647
Product Description	Estrogen receptors (ER) are members of the steroid/thyroid hormone receptor superfamily of ligand-activated transcription factors. Estrogen receptors, including ER-alpha and ER-beta, contain DNA binding and ligand binding domains and are critically i...
Clonality	Monoclonal
Concentration	0.1 mg/mL
Clone Designation	[ESR2/686]

Molecular Weight	53-59 kDa
Isotype	IgG2a
UniProt	<a href="#">Q92731</a>
Buffer	PBS, 0.1% BSA, 0.05% azide
Source	Animal
Application Notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Western blotting 0.5-1 ug/mL Optimal dilution for a specific application should be determined by user