

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **TRAcP (Tartarate Resistant Acid Phosphatase)(ACP5/1070), CF647 conjugate, 0.1mg/mL, Clone: [ACP5/1070], Mouse, Monoclonal BOT-BNC471070-100**

Article Name	TRAcP (Tartarate Resistant Acid Phosphatase)(ACP5/1070), CF647 conjugate, 0.1mg/mL, Clone: [ACP5/1070], Mouse, Monoclonal
Biozol Catalog Number	BOT-BNC471070-100
Supplier Catalog Number	BNC471070-100
Alternative Catalog Number	BOT-BNC471070-100-100UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Application	IHC
Species Reactivity	Human, Mouse, Rat
Immunogen	Recombinant full-length human ACP5 protein
Conjugation	CF647
Product Description	This antibody recognizes a protein of 35 kDa, which is identified as tartrate-resistant acid phosphatase (TRAcP). It exists as two isoforms (5a and 5b). This MAbs reacts with both the isoforms. Serum TRAcP 5a is secreted by macrophages and dendritic c...
Clonality	Monoclonal
Concentration	0.1 mg/mL
Clone Designation	[ACP5/1070]

Molecular Weight	35 kDa
UniProt	<a href="#">P13686</a>
Buffer	PBS, 0.1% BSA, 0.05% azide
Source	Animal
Application Notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user