

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

BTLA(BTLA/1528), CF488A conjugate, 0.1mg/mL, Clone: [BTLA/1528], Mouse, Monoclonal BOT-BNC881528-100

| | |
|----------------------------|---|
| Article Name | BTLA(BTLA/1528), CF488A conjugate, 0.1mg/mL, Clone: [BTLA/1528], Mouse, Monoclonal |
| Biozol Catalog Number | BOT-BNC881528-100 |
| Supplier Catalog Number | BNC881528-100 |
| Alternative Catalog Number | BOT-BNC881528-100-100UL |
| Manufacturer | Biotium |
| Host | Mouse |
| Category | Antikörper |
| Species Reactivity | Human |
| Immunogen | Recombinant full-length human BTLA protein |
| Conjugation | CF488A |
| Product Description | B and T lymphocyte attenuator (BTLA) is a member of the CD28 Ig superfamily of inhibitory co-receptors, along with CTLA-4 and PD-1. However, unlike CTLA-4 and PD-1, BTLA does not interact with B7-Ig family receptors. Rather, it is engaged by herpesvi... |
| Clonality | Monoclonal |
| Concentration | 0.1 mg/mL |
| Clone Designation | [BTLA/1528] |
| Molecular Weight | 33 kDa |

| | |
|-------------------|--|
| UniProt | Q7Z69 |
| Buffer | PBS, 0.1% BSA, 0.05% azide |
| Source | Animal |
| Application Notes | For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry |