

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

CD15 / FUT4 (Reed-Sternberg Cell Marker) (FUT4/1478R), 0.2mg/mL, Clone: [FUT4/1478R], Rabbit, Monoclonal BOT-BNUB1478-500

Article Name	CD15 / FUT4 (Reed-Sternberg Cell Marker) (FUT4/1478R), 0.2mg/mL, Clone: [FUT4/1478R], Rabbit, Monoclonal
Biozol Catalog Number	BOT-BNUB1478-500
Supplier Catalog Number	BNUB1478-500
Alternative Catalog Number	BOT-BNUB1478-500-500UL
Manufacturer	Biotium
Host	Rabbit
Category	Antikörper
Application	FC, IF, IHC
Species Reactivity	Human, Mouse, Rat
Immunogen	Purified human neutrophils
Product Description	CD15 plays a role in mediating phagocytosis, bactericidal activity, and chemotaxis. It is present on >95% of granulocytes including neutrophils and eosinophils and to a lesser degree on monocytes. In addition, CD15 is expressed in Reed-Sternberg cell...
Clonality	Monoclonal
Concentration	0.2 mg/mL
Clone Designation	[FUT4/1478R]
Molecular Weight	220 kDa

UniProt	P22083
Buffer	PBS, 0.05% BSA, 0.05% azide
Source	Animal
Application Notes	Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris, 1 mM EDTA pH 9.0 for 10-20 min followed by cooling at RT for 20 min Flow cytometry 2-4 ug/million cells Immunofluorescence 2-4 ug/mL Immunohistology (formalin) 5-10 ug/mL Optimal dilution for a specific application should be determined by user