

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

CDX2 / Caudal Type Homeobox 2 (GI Epithelial Marker) (PCRP-CDX2-1A3), 1 mg/mL, IgG1, Clone: [PCRP-CDX2-1A3], Mouse, Monoclonal BOT-BNUM1920-50

Article Name	CDX2 / Caudal Type Homeobox 2 (GI Epithelial Marker) (PCRP-CDX2-1A3), 1 mg/mL, IgG1, Clone: [PCRP-CDX2-1A3], Mouse, Monoclonal
Biozol Catalog Number	BOT-BNUM1920-50
Supplier Catalog Number	BNUM1920-50
Alternative Catalog Number	BOT-BNUM1920-50-50UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Application	IHC
Species Reactivity	Human
Immunogen	Recombinant full-length human CDX2protein
Product Description	The specificity of this monoclonal antibody to its intended target was validated by HuProt(TM)Array, containing more than 19,000, full-length human proteins.The intestine-specific transcription factors CDX1 and CDX2 are important for directing intest...
Clonality	Monoclonal
Concentration	1 mg/mL
Clone Designation	[PCRP-CDX2-1A3]
Molecular Weight	40 kDa

Isotype	IgG1
UniProt	Q99626
Buffer	PBS, no BSA, no azide
Source	Animal
Application Notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 0.5-1 ug/mL for 30 minutes at RT Immunoprecipitation 2-4 ug/mg protein Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Western blotting 0.5-1.0 ug/mL Optimal dilution for a specific application should be determined by user