

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

MDM2 Rabbit mAb, Unconjugated, Monoclonal ABB-A23388

| | |
|----------------------------|---|
| Article Name | MDM2 Rabbit mAb, Unconjugated, Monoclonal |
| Biozol Catalog Number | ABB-A23388 |
| Supplier Catalog Number | A23388 |
| Alternative Catalog Number | ABB-A23388-100UL, ABB-A23388-20UL |
| Manufacturer | ABclonal |
| Host | Rabbit |
| Category | Antikörper |
| Application | ELISA, WB |
| Species Reactivity | Human |
| Immunogen | Synthetic peptide. This information is considered to be commercially sensitive. |
| Conjugation | Unconjugated |
| Product Description | This gene encodes a nuclear-localized E3 ubiquitin ligase. The encoded protein can promote tumor formation by targeting tumor suppressor proteins, such as p53, for proteasomal degradation. This gene is itself transcriptionally-regulated by p53. Overe... |
| Clonality | Monoclonal |
| Molecular Weight | 11kDa/14kDa/24kDa/30kDa/33kDa/35kDa/48kDa/49kDa/55kDa |
| NCBI | 4193 |
| UniProt | Q00987 |

| | |
|--------------------|--|
| Purity | Affinity purification |
| Target | MDM2 |
| Application Dilute | WB,1:2000 - 1:10000 ELISA,Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements. |
| Application Notes | Cross-Reactivity: Human. ResearchArea: Epigenetics Nuclear Signaling,Protein phosphorylation,Cancer,Tumor suppressors,p53 pathway,Signal Transduction,PI3K-Akt Signaling Pathway,ErbB-HER Signaling Pathway,ATM Signaling Pathway,Cell Biology Developmental Biology,Cell Cycle,Cell cycle inhibitors,Cell Cycle Control-G2 M DNA Damage Checkpoint,Ubiquitin,Ubiquitin-Proteasome Signaling Pathway,Immunology Inflammation,Neuroscience. Shipping: Ice Bag |