

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### UBE2I Rabbit mAb, Unconjugated, Monoclonal ABB-A4396

|                            |   |
|----------------------------|---|
| Article Name               | UBE2I Rabbit mAb, Unconjugated, Monoclonal  |
| Biozol Catalog Number      | ABB-A4396   |
| Supplier Catalog Number    | A4396   |
| Alternative Catalog Number | ABB-A4396-100UL, ABB-A4396-20UL   |
| Manufacturer               | ABclonal  |
| Host                       | Rabbit  |
| Category                   | Antikörper  |
| Application                | ELISA, IHC-P, WB  |
| Species Reactivity         | Human   |
| Immunogen                  | Synthetic peptide. This information is considered to be commercially sensitive.   |
| Conjugation                | Unconjugated  |
| Product Description        | The modification of proteins with ubiquitin is an important cellular mechanism for targeting abnormal or short-lived proteins for degradation. Ubiquitination involves at least three classes of enzymes: ubiquitin-activating enzymes, or E1s, ubiquitin-... |
| Clonality                  | Monoclonal  |
| Molecular Weight           | 18kDa   |
| NCBI                       | <a href="#">7329</a>  |
| UniProt                    | <a href="#">P63279</a>  |

|                    |   |
|--------------------|---|
| Purity             | Affinity purification   |
| Target             | UBE2I   |
| Application Dilute | WB,1:500 - 1:1000 IHC-P,1:50 - 1:200 ELISA,Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.  |
| Application Notes  | Cross-Reactivity: Human,Mouse,Rat. ResearchArea: Epigenetics Nuclear Signaling,RNA Binding,Cell Biology Developmental Biology,Apoptosis,Ubiquitin,Ubiquitin-Proteasome Signaling Pathway,Endocrine Metabolism,Endocrine and metabolic diseases,Obesity. Shipping: Ice Bag |