

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Monoclonal Antibody to Cytokeratin 7 (KRT7) (Glandular and Transitional Epithelial Marker)(KRT7/760 + OV-TL12, Clone: [KRT7/760 + OV-TL12/30], Mouse ABI-36-1350

| | |
|----------------------------|---|
| Article Name | Monoclonal Antibody to Cytokeratin 7 (KRT7) (Glandular and Transitional Epithelial Marker)(KRT7/760 + OV-TL12, Clone: [KRT7/760 + OV-TL12/30], Mouse |
| Biozol Catalog Number | ABI-36-1350 |
| Supplier Catalog Number | 36-1350 |
| Alternative Catalog Number | ABI-36-1350-100UG |
| Manufacturer | Abeomics |
| Host | Mouse |
| Category | Antikörper |
| Application | FACS, IF, IHC |
| Species Reactivity | Human, Rat |
| Immunogen | Recombinant full-length human KRT7 protein (KRT7/760), OTN 11, ovarian carcinoma cell line (OV-TL12/30) |
| Product Description | It recognizes an intermediate filament protein (IFP) of 55kDa, which is identified as cytokeratin 7. This MAb is highly specific to cytokeratin 7 and shows no cross-reaction with other IFPs. Cytokeratin 7 is a basic cytokeratin, which is found in mos... |
| Clonality | Monoclonal |
| Clone Designation | [KRT7/760 + OV-TL12/30] |
| NCBI | 3855 |

| | |
|--------------------|---|
| UniProt | P08729 |
| Purity | Affinity Chromatography |
| Form | Purified |
| Target | Cytokeratin 7 (KRT7) (Glandular and Transitional Epithelial Marker) |
| Application Dilute | Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min a |