

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **Donkey anti-Goat IgG (H&L), TRITC conjugated, min, cross-reactivity to human, mouse, rabbit, rat IgG, Polyclonal AGR-AS10-1228**

|                            |                                                                                                                                                                                                                                                               |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Article Name               | Donkey anti-Goat IgG (H&L), TRITC conjugated, min, cross-reactivity to human, mouse, rabbit, rat IgG, Polyclonal                                                                                                                                              |
| Biozol Catalog Number      | AGR-AS10-1228                                                                                                                                                                                                                                                 |
| Supplier Catalog Number    | AS10-1228                                                                                                                                                                                                                                                     |
| Alternative Catalog Number | AGR-AS10-1228                                                                                                                                                                                                                                                 |
| Manufacturer               | Agrisera                                                                                                                                                                                                                                                      |
| Host                       | Donkey                                                                                                                                                                                                                                                        |
| Category                   | Antikörper                                                                                                                                                                                                                                                    |
| Conjugation                | tritic                                                                                                                                                                                                                                                        |
| Product Description        | Donkey anti-goat IgG (H&L), Rhodamine (TRITC-tetramethylrhodamine-5-isothiocyanate) conjugated, is a secondary antibody which binds to goat IgG in immunological assays. TRITC has Amax = 550 nm, Emax = 570 nm. Antibodies are adsorbed against human,mou... |
| Clonality                  | Polyclonal                                                                                                                                                                                                                                                    |
| Purity                     | Immunogen affinity purified IgG.                                                                                                                                                                                                                              |
| Form                       | Liquid                                                                                                                                                                                                                                                        |
| Antibody Type              | Polyclonal Antibody                                                                                                                                                                                                                                           |
| Application Dilute         | The optimal working dilution should be determined by the investigator,                                                                                                                                                                                        |