

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### Rabbit F(ab)2 anti-Bovine IgG (H+L)-FITC, MinX none DNA-SEC-182647

|                            |                                                                                                                                                                                                                                                               |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Article Name               | Rabbit F(ab)2 anti-Bovine IgG (H+L)-FITC, MinX none                                                                                                                                                                                                           |
| Biozol Catalog Number      | DNA-SEC-182647                                                                                                                                                                                                                                                |
| Supplier Catalog Number    | SEC-182647                                                                                                                                                                                                                                                    |
| Alternative Catalog Number | DNA-SEC-182647                                                                                                                                                                                                                                                |
| Manufacturer               | dianova                                                                                                                                                                                                                                                       |
| Host                       | Rabbit                                                                                                                                                                                                                                                        |
| Category                   | Antikörper                                                                                                                                                                                                                                                    |
| Application                | FLISA,FACS,IF                                                                                                                                                                                                                                                 |
| Species Reactivity         | Bovine                                                                                                                                                                                                                                                        |
| Immunogen                  | Bovine IgG whole molecule                                                                                                                                                                                                                                     |
| Conjugation                | FITC                                                                                                                                                                                                                                                          |
| Format                     | F(ab')2                                                                                                                                                                                                                                                       |
| Target Specificity         | IgG (H+L)                                                                                                                                                                                                                                                     |
| Cross-Adsorption (MinX)    | no cross-adsorbtion                                                                                                                                                                                                                                           |
| Product Description        | F(ab)2 Antibody was generated by enzymatic cleavage and subsequent separation from the Fc fragment. Because of their smaller size, F(ab)2 fragments offer several advantages over intact antibodies for use in certain immunochemical techniques and exper... |
| Clonality                  | Polyclonal                                                                                                                                                                                                                                                    |

|                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Concentration      | 10.0 mg/mL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Isotype            | Ig                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Buffer             | 0.01 M Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Purity             | This product is a F(ab') <sub>2</sub> fragment of an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation, ion exchange chromatography and pepsin digestion followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-fluorescein, anti-Rabbit Serum, Bovine IgG and Bovine Serum. No reaction was observed against anti-Rabbit IgG F(c) or anti-Pepsin. |
| Form               | Lyophilized                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Formula            | 10 mM NaPO <sub>4</sub> , 150 mM NaCl, pH 7.2, lyophilisate, 0.01% Thimerosal                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Target             | Bovine                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Antibody Type      | Secondary Antibody                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Application Dilute | FLISA Dilution: 1:10,000 - 1:50,000, Flow Cytometry Dilution: 1:500 - 1:2,500, Fluorochrome Protein Value: 2.4, IF Microscopy Dilution: 1:1,000 - 1:5,000                                                                                                                                                                                                                                                                                                                                                                    |
| Application Notes  | Suitable for immunomicroscopy and flow cytometry or FACS analysis as well as other antibody based fluorescent assays requiring extremely low background levels, absence of F(c) mediated binding, lot-to-lot consistency, high titer and specificity.                                                                                                                                                                                                                                                                        |