

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Cdc20(AR12), CF405S conjugate, 0.1mg/mL, Clone: [AR12], Mouse, Monoclonal BOT-BNC040672-100

Artikelname	Cdc20(AR12), CF405S conjugate, 0.1mg/mL, Clone: [AR12], Mouse, Monoclonal
Artikelnummer	BOT-BNC040672-100
Hersteller Artikelnummer	BNC040672-100
Alternativnummer	BOT-BNC040672-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Urea-denatured His6 Cdc20 human recombinant protein
Konjugation	CF405S
Produktbeschreibung	Cyclins, regulatory subunits that associate with kinases, control many of the important steps in cell cycle progression. The Cdc2 protein kinase (p34Cdc2) exhibits protein kinase activity in vitro and exists in a complex with both cyclin B and a prot...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[AR12]

Molekulargewicht	55 kDa
UniProt	Q12834
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user