

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

BrdU (Bromodeoxyuridine)(BRD469 + BRD494 + BRD.3), 0.2mg/mL, IgG1, Clone: [BRD469 BRD494 BRD.3], Mouse, Monoclonal BOT-BNUB1000-100

Artikelname	BrdU (Bromodeoxyuridine)(BRD469 + BRD494 + BRD.3), 0.2mg/mL, IgG1, Clone: [BRD469 BRD494 BRD.3], Mouse, Monoclonal
Artikelnummer	BOT-BNUB1000-100
Hersteller Artikelnummer	BNUB1000-100
Alternativnummer	BOT-BNUB1000-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	All
Immunogen	Bromodeoxyuridine (BrdU) conjugated to BSA or KLH
Produktbeschreibung	Bromodeoxyuridine (BrdU) is a synthetic nucleoside thymidine analog. It is commonly used to detect proliferation in cells. In cells cultured in the presence of BrdU, BrdU will incorporate into newly synthesized DNA during S-phase. Antibodies specific...
Klonalität	Monoclonal
Konzentration	0.2 mg/mL
Klon-Bezeichnung	[BRD469 BRD494 BRD.3]
Molekulargewicht	Depends on the target

Isotyp	IgG1
UniProt	Not Applicable
Puffer	PBS, 0.05% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues, incubate sections in 4N HCl for 30 minutes at RT followed by digestion with trypsin at 1mg/mL PBS, 10 min at 37C Immunofluorescence 0.5-1 ug/mL Flow Cytometry 0.5-1 ug/million cells Optimal dilution for a specific application should be determined by user