

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **Cyclin E (G1/S-Phase Cyclin)(CCNE1/2587), CF405S conjugate, 0.1mg/mL, Clone: [CCNE1/2587], Mouse, Monoclonal BOT-BNC042587-100**

Article Name	Cyclin E (G1/S-Phase Cyclin)(CCNE1/2587), CF405S conjugate, 0.1mg/mL, Clone: [CCNE1/2587], Mouse, Monoclonal
Biozol Catalog Number	BOT-BNC042587-100
Supplier Catalog Number	BNC042587-100
Alternative Catalog Number	BOT-BNC042587-100-100UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Species Reactivity	Human
Immunogen	Recombinant human Cyclin E (CCNE1) protein fragment (around aa 10-176) (exact sequence is proprietary)
Conjugation	CF405S
Product Description	Cyclin E belongs to the highly conserved cyclin family, whose members exhibit distinct expression and degradation patterns which contribute to the temporal coordination of each mitotic event. Cyclins function as regulators of CDK kinases. Cyclin E fo...
Clonality	Monoclonal
Concentration	0.1 mg/mL
Clone Designation	[CCNE1/2587]
Molecular Weight	53 kDa

UniProt	<a href="#">P24864</a>
Buffer	PBS, 0.1% BSA, 0.05% azide
Source	Animal
Application Notes	For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry