

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **Bax(BAX/962), CF647 conjugate, 0.1mg/mL, IgG1, Clone: [BAX/962], Mouse, Monoclonal BOT-BNC470962-100**

Article Name	Bax(BAX/962), CF647 conjugate, 0.1mg/mL, IgG1, Clone: [BAX/962], Mouse, Monoclonal
Biozol Catalog Number	BOT-BNC470962-100
Supplier Catalog Number	BNC470962-100
Alternative Catalog Number	BOT-BNC470962-100-100UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Application	FC, IHC
Species Reactivity	Human, Monkey
Immunogen	Recombinant full-length human BAX protein.
Conjugation	CF647
Product Description	This antibody recognizes a protein of 21 kDa, identified as the Bax protein. This MAb is highly specific to Bax and shows no cross-reaction with Bcl-2 or Bcl-X protein. Bcl-2 blocks cell death following a variety of stimuli. Bax has extensive amino a...
Clonality	Monoclonal
Concentration	0.1 mg/mL
Clone Designation	[BAX/962]

Molecular Weight	21 kDa
Isotype	IgG1
UniProt	<a href="#">Q07812</a>
Buffer	PBS, 0.1% BSA, 0.05% azide
Source	Animal
Application Notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Does not react with mouse or rat, others not known Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris with 1 mM EDTA, pH 9.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Western blotting 0.5-1 ug/mL Optimal dilution for a specific application should be determined by user