

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **Blood Group Antigen A (CD173)(3-3A), CF488A conjugate, 0.1mg/mL, Clone: [3-3A], Mouse, Monoclonal BOT-BNC881251-100**

Article Name	Blood Group Antigen A (CD173)(3-3A), CF488A conjugate, 0.1mg/mL, Clone: [3-3A], Mouse, Monoclonal
Biozol Catalog Number	BOT-BNC881251-100
Supplier Catalog Number	BNC881251-100
Alternative Catalog Number	BOT-BNC881251-100-100UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Application	IHC
Species Reactivity	Human
Immunogen	Mucin isolated from an ovarian cyst fluid
Conjugation	CF488A
Product Description	This antibody is applicable for staining ABO blood groups A and AB. The histo-blood group ABO involves three carbohydrate antigens: A, B, and H. Blood group antigens are generally defined as molecules formed by sequential addition of saccharides to t...
Clonality	Monoclonal
Concentration	0.1 mg/mL
Clone Designation	[3-3A]

Molecular Weight	Multiple
UniProt	<a href="#">P16442</a>
Buffer	PBS, 0.1% BSA, 0.05% azide
Source	Animal
Application Notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistochemistry (formalin-fixed): 1-2 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user